

## 60000 liter tank i Rostfritt 304



**275,000,00 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** The previous product was softened water; traces of product present in the tank. The tank is in very good condition and was built by La Garrec.

**Volumetric volume (L):** 60.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 120 °C

**Min. temperature (°C):** -10 °C

**Material wet parts:** SS AISI 304L (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** flat sloping 1,71 °

**Total discharge:** yes

**Insulation material:** Rockwool

**Outer jacket (ornamental wall):** steel-epoxy

**Manway(s):** RVS 304L

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304L

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** yes

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 2

**Position of manway:** cylinder

**Height manhole 1 (mm):** 500 mm

**Position 2nd manway:** at the top

**Height manhole 2 (mm):** 500

**Tank outlet:** inside Ø 65 mm

**Tank location:** outside

**Agitator:** no, optional

**Insulation top:** yes

**Insulation body:** yes

**finish of the outer jacket:** riveted

**Insulation thickness:** 100

**Internal diameter tank:** 2.870 mm

**Outer diameter tank:** 3.090 mm

**Cylinder height:** 9.750 mm

**Total height of tank:** 10.500 mm

**Empty weight tank:** 3.800

**SKU:** 565943

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 120 °C

Min. arbetstemperatur: -10 °C

Mobil tank: Nej

Övrig information: The previous product was softened water; traces of product present in the tank. The tank is in very good condition and was built by La Garrec.

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: flat sloping 1,71 °

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304L (V2A)

Volym i liter: 60000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 65 mm  
Teknisk ritning finns: Ja

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304L  
Isoleringsmaterial: Rockwool  
Ytterbeklädnad: steel-epoxy

## Dimensioner av tank

Cylinderhöjd: 9.750 mm  
Invändig diameter: 2.870 mm  
Total höjd: 10.500 mm  
Ytterdiameter: 3.090 mm

## Tjocklek på ytterbeklädnad och isolering

Finish utvändig mantel: riveted  
Isolering mantel: Ja  
Isoleringsmaterial: Rockwool

## Mer

Isoleringsmaterial: Ja  
Isoleringstjocklek OW: 100  
Isolerad: Ja  
Vikt: 3.800