

6150 liter tank i Rostfritt 304



75,000,00 kr /st exkl moms

Additional information: Pure water; Manhole DN 500; 1 stainless steel reinforcement ring around the outside of the cylinder; the loose stainless steel parts also on the pallet are not included in the scope of delivery (see photos); manhole cover plated; Metallic discolouration inside

Volumetric volume (L): 6.350 L

Pressure in tank: ATM - atmosferic
Max. temperature (°C): 90 °C
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: 58
Internal diameter tank: 1.430 mm
Cylinder height: 3.500 mm
Total height of tank: 4.700 mm

SKU: 564292

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 90 °C

Mobil tank: Nej

Övrig information: Pure water; Manhole DN 500; 1 stainless steel reinforcement ring around the outside of the cylinder; the loose stainless steel parts also on the pallet are not included in the scope of delivery (see

Övrig information2: photos); manhole cover plated;Metallic discolouration inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 6350

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.500 mm

Invändig diameter: 1.430 mm

Total höjd: 4.700 mm

Mer

Isolerad: Nej
