

61600 liter tank i Rostfritt 304



404 000 SEK /st exkl moms

Additional information: Beer; The half-pipe coil does not extend throughout the entire cylinder area (see drawing)

Volumetric volume (L): 61.600 L

Pressure in tank: ATM - atmosferic



Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 995 L

Max Overpressure: 2 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN80

Top: 11,30 mm

Cylinder: 10 mm

Internal diameter tank: 3.800 mm

Cylinder height: 4.013 mm

Total height of tank: 7.400 mm

SKU: 707143

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 20 °C

Mobil tank: Nej

Övrig information: Beer; The half-pipe coil does not extend throughout the entire cylinder area (see drawing)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 61600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.013 mm

Invändig diameter: 3.800 mm

Total höjd: 7.400 mm

Tjocklek på tank

Cylinder: 10 mm

Topp: 11,30 mm



Mer

Isolerad: Ja