

## 6200 liter tank i Rostfritt 304



**94,000,00 kr /st exkl moms**

**Additional information:** Manhole diameter (cylinder): approx. 420 x 320 mm

**Volumetric volume (L):** 6.200 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 6 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.600 mm

**Cylinder height:** 2.976 mm

**Total height of tank:** 3.910 mm

**SKU:** 490518

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Manhole diameter (cylinder): approx. 420 x 320 mm

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6200

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.976 mm

Invändig diameter: 1.600 mm

Total höjd: 3.910 mm

## Mer

Isolerad: Nej