

## 630 liter tank i Rostfritt 304



## 32 000 SEK /st exkl moms

**Additional information:** chemistry  
**Volumetric volume (L):** 630 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Max Overpressure:** 1 Bar  
**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket  
**Heat exchanger:** RVS 304  
**Documents included:** no

**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** headside  
**Outlet of tank:** available

**Agitator:** yes  
**Internal diameter tank:** 800 mm  
**Cylinder height:** 1.000 mm  
**Empty weight tank:** 500

**SKU:** 268432

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfERIC

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 630

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 800 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Ja

Vikt: 500