630 liter tank i Rostfritt 304



29 000 SEK /st exkl moms

Additional information: Food industry; Double jacket made of steel for heating/cooling; was used until the end according to the previous operator (no guarantee for functionality of the double jacket); 1 circular opening in the upper bottom
Volumetric volume (L): 630 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: DN40 DIN 11851

Internal diameter tank: 910 mm
Outer diameter tank: 1.100 mm
Cylinder height: 930 mm
Total height of tank: 1.800 mm

SKU: 399818

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Food industry; Double jacket made of mild steel for heating / cooling; according to the previous operator, it was used until the end (no guarantee for functionality of the double jacket); 1 circular
Övrig information2: opening in the upper bottom
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 630

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 930 mm
Invändig diameter: 910 mm
Total höjd: 1.800 mm
Ytterdiameter: 1.100 mm

Mer
Isolerad: Ja