630 liter tank i Syrafast 316



45 000 SEK /st exkl moms

Additional information: Frame made of FE (galvanized); 2x vacuum tanks from Apaco, here the tank data differ (see pictures)
Volumetric volume (L): 630 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: no
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Empty weight tank: 440

SKU: 627767

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 200 °C
Mobil tank: Nej
Övrig information: Frame made of FE (galvanized); 2x vacuum tanks from Apaco, here the tank data differ (see pictures)
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Nej
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 630

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Mer

Isolerad: Nej
Vikt: 440

Rodervägen 57
891 78 Bonässund
info@processoverskott.se