

## 6300 liter tank i Syrafast 316



**81,000,00 kr /st exkl moms**

**Additional information:** Product water in an ice cream factory; Slight metallic discoloration and 1 pipe inside the tank; pipe end cut flush

**Volumetric volume (L):** 6.300 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 98 °C  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** in the bottom  
**Outlet of tank:** 65  
**Internal diameter tank:** 1.750 mm  
**Outer diameter tank:** 1.880 mm  
**Cylinder height:** 2.500 mm

**Total height of tank:** 3.900 mm  
**Empty weight tank:** 980

**SKU:** 302383

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated

Max. arbetstemperatur: 98 °C

Mobil tank: Nej

Övrig information: Product water in an ice cream factory; Slight metallic discoloration and 1 pipe inside the tank; pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 6300

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 1.750 mm

Total höjd: 3.900 mm

Ytterdiameter: 1.880 mm

**Mer**

Isolerad: Ja

Vikt: 980

---