

640 liter tank i Syrafast 316



27 000 SEK /st exkl moms

Additional information: Biochemistry; Diameter of hand hole approx. 200 mm; slight differences in the design of the two vessels: vessel 1: feet with height-adjustable spherical screws (missing on vessel 2); vessel 2: overall height of approx. 2,200 mm slightly higher due to flange-mounted fittings in the upper bottom; flange-mounted fitting on the outlet flange reduces the outlet to 25 mm (see photos)

Volumetric volume (L): 640 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 133 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 48

Internal diameter tank: 800 mm

Cylinder height: 1.000 mm

Total height of tank: 2.000 mm

SKU: 564955

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 133 °C

Mobil tank: Nej

Övrig information: Biochemistry; Diameter of hand hole approx. 200 mm; slight differences in the design of the two vessels: Vessel 1: Feet with height-adjustable spherical screws (missing on vessel 2); Vessel 2:

Övrig information2: Overall height of approx. 2,200 mm slightly higher due to flange-mounted fittings in the upper bottom; flange-mounted fitting on the outlet flange reduces the outlet to 25 mm (see photos)

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 640

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 800 mm

Total höjd: 2.000 mm

Mer

Isolerad: Nej