

650 liter tank i Syrafast 316



45 000 SEK /st exkl moms

Additional information: condensate tank in a brewery; Manhole approx. 340 x 420 mm; some residues of previous content; dents at the insulation jacket; pipe end cut flush

Volumetric volume (L): 650 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 180 °C
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: available
Internal diameter tank: 780 mm
Outer diameter tank: 960 mm
Total height of tank: 2.400 mm

SKU: 271825

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 180 °C

Mobil tank: Nej

Övrig information: condensate tank in a brewery; manhole appr. 340 x 420 mm; some residues of previous content;dents at the insulation jacket;pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 650

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 780 mm

Total höjd: 2.400 mm

Ytterdiameter: 960 mm

Mer

Isolerad: Ja