

## 650 liter tank i Syrafast 316



**49,000,00 kr /st exkl moms**

**Additional information:** condensate tank in a brewery; manhole appr. 340 x 420 mm; some residues of previous content; dents at the insulation jacket; pipe end cut flush

**Volumetric volume (L):** 650 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 180 °C  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** cylinder  
**Outlet of tank:** available  
**Internal diameter tank:** 780 mm  
**Outer diameter tank:** 960 mm  
**Total height of tank:** 2.400 mm

**SKU:** 271825

## Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 180 °C

Mobil tank: Nej

Övrig information: condensate tank in a brewery; manhole appr. 340 x 420 mm; some residues of previous content;dents at the insulation jacket;pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 650

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 780 mm

Total höjd: 2.400 mm

Ytterdiameter: 960 mm

## Mer

Isolerad: Ja