

## 650 liter tank i Syrafast 316



**56 000 SEK /st exkl moms**

**Additional information:** Pharmacy

**Volumetric volume (L):** 650 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 135 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 44

**Top:** 4 mm

**Cylinder:** 3,50 mm

**Bottom:** 3 mm

**Internal diameter tank:** 1.000 mm

**Cylinder height:** 600 mm

**Total height of tank:** 2.000 mm

**Empty weight tank:** 1.500

**SKU:** 284017

## Mer information

### Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: pressure and vacuum  
Konfiguration: single-skin  
Max. arbetstemperatur: 135 °C  
Mobil tank: Nej  
Övrig information: pharmacy  
Omrörare: Nej  
Övertryck: 3 Bar  
Total urtappning: Ja  
Undertryck (vakuum): 1 Bar  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 650

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 600 mm  
Invändig diameter: 1.000 mm  
Total höjd: 2.000 mm

**Tjocklek på tank**

Botten: 3 mm

Cylinder: 3,50 mm

Topp: 4 mm

**Mer**

Isolerad: Nej

Vikt: 1.500