650 liter tank i Syrafast 316



19 000 SEK /st exkl moms

Additional information: chemistry; some residues of previous content
Volumetric volume (L): 650 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: flange DN40

Cylinder: 4 mm
Bottom: 3 mm
Internal diameter tank: 700 mm
Total outer length: 2.000 mm
Empty weight tank: 200

SKU: 409835

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: chemistry; some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 650

Utrustning
Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material
Material: Syrafast 316

Dimensioner av tank
Invändig diameter: 700 mm

Tjocklek på tank
Botten: 3 mm
Cylinder: 4 mm

Mer
Isolerad: Nej
Vikt: 200