

## 650 liter tank i Syrafast 316



**19 000 SEK /st exkl moms**

**Additional information:** chemistry; some residues of previous content

**Volumetric volume (L):** 650 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 316 (V4A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** flange DN40

**Cylinder:** 4 mm

**Bottom:** 3 mm

**Internal diameter tank:** 700 mm

**Total outer length:** 2.000 mm

**Empty weight tank:** 200

**SKU:** 409835

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: chemistry; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 650



## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 700 mm

## Tjocklek på tank

Botten: 3 mm  
Cylinder: 4 mm

## Mer

Isolerad: Nej  
Vikt: 200