

650 liter tank i Syrafast 316



22,000,00 kr /st exkl moms

Additional information: chemistry; some residues of previous content

Volumetric volume (L): 650 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: flange DN40

Cylinder: 4 mm

Bottom: 3 mm

Internal diameter tank: 700 mm

Total outer length: 2.000 mm

Empty weight tank: 200

SKU: 409835

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: chemistry; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 650

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 700 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 4 mm

Mer

Isolerad: Nej
Vikt: 200