

6500 liter tank i Rostfritt 304



81,000,00 kr /st exkl moms

Additional information: Rennet production; Cone height approx. 1300 mm; manhole approx. 415 x 500 mm; 1 rectangular opening approx. 350 x 440 mm without lid in upper bottom; some residues of previous content

Volumetric volume (L): 6.500 L

Pressure in tank: ATM - atmosferic
Max. temperature (°C): 90 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: 80
Agitator: yes
Number of revolutions: 1.460
Power: 5,50

Internal diameter tank: 1.600 mm
Cylinder height: 2.960 mm
Total height of tank: 5.550 mm

SKU: 279442

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 90 °C

Mobil tank: Nej

Övrig information: Rennet production; Cone height approx. 1300 mm; manhole approx. 415 x 500 mm; 1 rectangular opening approx. 350 x 440 mm without lid in upper bottom; some residues of previous content; we can't give

Övrig information2: any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.960 mm

Invändig diameter: 1.600 mm

Total höjd: 5.550 mm

Omrörare

Kraft (kW): 5,50

Varvtal: 1.460

Mer

Isolerad: Nej