

663 liter tank i Syrafast 316



63 000 SEK /st exkl moms

Additional information: Pharmacy; Vessel hangs in tilting frame, Aisi 304 - no outlet in the lower bottom; hand hole diameter approx. 160 mm

Volumetric volume (L): 663 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 160 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: no

Volume: 48 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 160 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: non-existent

Agitator: yes

Number of revolutions: 93 - 457

Power: 2,60

Internal diameter tank: 980 mm

Outer diameter tank: 1.150 mm

Cylinder height: 580 mm

Total height of tank: 2.950 mm

Total outer width: 2.100 mm

Total outer length: 1.350 mm

SKU: 484583

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 160 °C

Mobil tank: Nej

Övrig information: Pharmacy; Vessel hangs in tilting frame, Aisi 304 – no outlet in the lower bottom; hand hole diameter approx. 160 mm; we can't give any guarantees about the heating/cooling jacket; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Övertryck: 2 Bar

Total urtappning: Nej

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 663

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej



Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 580 mm

Invändig diameter: 980 mm

Total höjd: 2.950 mm

Ytterdiameter: 1.150 mm

Omrörare

Kraft (kW): 2,60

Varvtal: 93 - 457

Mer

Isolerad: Ja