

## 6700 liter tank i Rostfritt 304



**70,000,00 kr /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** Tank comes from the coffee industry, still residue from the previous product in the tank.; we can't give any guarantees about the agitator

**Volumetric volume (L):** 6.700 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** conical

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 500 mm

**Tank outlet:** inside Ø 50 mm

**Outlet type:** DIN11851

**Total outlet valve:** no

**Agitator:** yes

**Agitator type:** propeller agitator

**Position engine:** at the top

**Voltage:** three-phase

**Distance from outlet to ground:** 250 mm

**Outer diameter tank:** 1.850 mm

**Cylinder height:** 2.540 mm

**Total height of tank:** 3.700 mm

**Empty weight tank:** 600

**SKU:** 489600

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Tank comes from the coffee industry, still residue from the previous product in the tank.; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6700

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Nej

Utloppstyp: DIN11851

Utloppsventil: Nej

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 2.540 mm

Mått utlopp till marken: 250 mm

Total höjd: 3.700 mm

Ytterdiameter: 1.850 mm

## Omrörare

Position motor: at the top

Typ av omrörare: propeller agitator

Spänning (Volt): three-phase

## Mer

Isolerad: Nej

Vikt: 600