

## 67000 liter tank i Rostfritt 304



**346 000 SEK /st exkl moms**

**Volumetric volume (L):** 67.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 70 °C

**Material wet parts:** SS AISI 304 (V2A)



**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN65 DIN 11851

**Agitator:** yes

**Number of revolutions:** 935

**Power:** 3

**Internal diameter tank:** 3.950 mm

**Cylinder height:** 4.500 mm

**Total height of tank:** 6.600 mm

**SKU:** 704983

## Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 70 °C

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 67000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.500 mm

Invändig diameter: 3.950 mm

Total höjd: 6.600 mm

## Omrörare

Kraft (kW): 3

Varvtal: 935



**Mer**

Isolerad: Nej