

67000 liter tank i Syrafast 316



381,000,00 kr /st exkl moms

Additional information: Chemistry; Total height estimated according to drawing (deviations possible); manhole cylinder NW 600; test pressure according to drawing: 1 bar

Volumetric volume (L): 67.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 80

Top: 6 mm

Cylinder: 5 mm

Bottom: 10 mm

Internal diameter tank: 3.000 mm

Cylinder height: 8.800 mm

Total height of tank: 11.200 mm

SKU: 475492

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Total height estimated according to drawing (deviations possible); manhole cylinder NW 600; test pressure according to drawing: 1 bar

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 67000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 8.800 mm

Invändig diameter: 3.000 mm

Total höjd: 11.200 mm

Tjocklek på tank

Botten: 10 mm

Cylinder: 5 mm

Topp: 6 mm

Mer

Isolerad: Nej
