

680 liter tank i Rostfritt 304



205 000 SEK /st exkl moms

Additional information: Pharmacy; The total height includes the 4 loose foot extensions (length approx. 900 mm each); some residues of previous content

Volumetric volume (L): 680 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 28 L

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 50

Agitator: yes

Power: 3

Top: 3,20 mm

Cylinder: 4 mm

Bottom: 2,80 mm

Internal diameter tank: 820 mm

Outer diameter tank: 955 mm

Cylinder height: 1.000 mm

Total height of tank: 3.250 mm

SKU: 304535

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 120 °C

Mobil tank: Nej

Övrig information: Pharmacy; The total height includes the 4 loose foot extensions (length approx. 900 mm each); some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we

Övrig information2: can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 680

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 820 mm
Total höjd: 3.250 mm
Ytterdiameter: 955 mm

Omrörare

Kraft (kW): 3

Tjocklek på tank

Botten: 2,80 mm
Cylinder: 4 mm
Topp: 3,20 mm

Mer

Isolerad: Ja