

## 69000 liter tank i Rostfritt 304



**454 000 SEK /st exkl moms**

**Additional information:** brewery; Exact dimensions may vary slightly, on 2 tanks 3 feet were shortened during disassembly (these are enclosed loose and can be welded back on by the customer)

**Volumetric volume (L):** 69.000 L

**Pressure in tank:** ATM - atmospheric

**Max. pressure (Bar):** 6 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN80 DIN 11851

**Top:** 8,50 mm

**Cylinder:** 3 mm

**Bottom:** 9 mm

**Internal diameter tank:** 3.484 mm

**Outer diameter tank:** 3.500 mm

**Cylinder height:** 6.180 mm

**Total height of tank:** 9.000 mm

**SKU:** 313598

Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: brewery; Exact dimensions may vary slightly, 3 legs of 2 tanks were shortened during dismantling (these are included loose and can be welded back on site)

Omrörare: Nej

Övertryck: 6 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 69000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 6.180 mm

Invändig diameter: 3.484 mm

Total höjd: 9.000 mm

Ytterdiameter: 3.500 mm

**Tjocklek på tank**

Botten: 9 mm

Cylinder: 3 mm

Topp: 8,50 mm

**Mer**

Isolerad: Nej