

## 7000 liter tank i Syrafast 316



**150,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** The tank comes from the fruit juice industry, there is still a brown powder on the inner wall,

**Volumetric volume (L):** 7.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316L (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** strong conical

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Insulation material:** Rockwool

**Outer jacket (ornamental wall):** RVS 304

**Manway(s):** RVS 316

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 500 mm

**Tank outlet:** inside Ø 65 mm

**Outlet type:** DIN11851 male

**Insulation top:** yes

**Insulation body:** yes

**Insulation bottom/sides:** yes

**finish of the outer jacket:** welded

**Insulation thickness:** 50

**Internal diameter tank:** 1.600 mm

**Distance from outlet to ground:** 160 mm

**Outer diameter tank:** 1.700 mm

**Cylinder height:** 3.500 mm

**Total height of tank:** 4.600 mm

**Empty weight tank:** 1.000

SKU: 14940

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: insulated

Mobil tank: Nej

Övrig information: The tank comes from the fruit juice industry, there is still a brown powder on the inner wall,

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: strong conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316L (V4A)

Volym i liter: 7000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 65 mm

Teknisk ritning finns: Nej

Utloppstyp: DIN11851 male

## Översikt material

Material: Syrafast 316  
Fixeringspunkt(er): RVS 304  
Isoleringsmaterial: Rockwool  
Ytterbeklädnad: RVS 304

## Dimensioner av tank

Cylinderhöjd: 3.500 mm  
Invändig diameter: 1.600 mm  
Mått utlopp till marken: 160 mm  
Total höjd: 4.600 mm  
Ytterdiameter: 1.700 mm

## Tjocklek på ytterbeklädnad och isolering

Finish utvändig mantel: welded  
Isolering botten/gavlar: Ja  
Isolering mantel: Ja  
Isoleringsmaterial: Rockwool

## Mer

Isoleringsmaterial: Ja  
Isoleringstjocklek OW: 50  
Isolerad: Ja  
Vikt: 1.000