7000 liter tank i Rostfritt 304



57 000 SEK /st exkl moms

Additional information: adhesive production; 2 rectangular openings approx. 680 x 1190 mm in the upper bottom; feet formerly with height-adjustable screws, but these are no longer present; some residues of previous content
Volumetric volume (L): 7.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: 90
Internal diameter tank: 2.290 mm
Cylinder height: 1.490 mm
Total height of tank: 3.450 mm

SKU: 393710

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: adhesive production; 2 rectangular openings appr. 680 x 1190 mm in the upper bottom; feet former with height-afdjustable screw (no longer available); some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 7000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.490 mm
Invändig diameter: 2.290 mm
Total höjd: 3.450 mm

Mer

Isolerad: Nej