7000 liter tank i Rostfritt 304



193 000 SEK /st exkl moms

Additional information: including loose base frame (see pictures)
Volumetric volume (L): 7.000 L
Pressure in tank: pressure
Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Volume: 150 L
Max Overpressure: 3 Bar
Max. working temperature: 90 °C
Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: headside
Outlet of tank: available
Number of revolutions: 11
Power: 11
Internal diameter tank: 1.920 mm

Cylinder height: 2.250 mm
Total height of tank: 3.700 mm
Empty weight tank: 2.850

SKU: 568214

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: Food; including loose base frame (see pictures); we can't give any guarantees about the heating/cooling jacket
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 7000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.250 mm
Invändig diameter: 1.920 mm
Total höjd: 3.700 mm

Omrörare
Kraft (kW): 11
Varvtal: 11

Mer
Isolerad: Ja
Vikt: 2.850