

7000 liter tank i Rostfritt 304



194,000,00 kr /st exkl moms

Additional information: Food; including loose base frame (see pictures)

Volumetric volume (L): 7.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 150 L

Max Overpressure: 3 Bar

Max. working temperature: 90 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Number of revolutions: 11

Power: 11

Internal diameter tank: 1.920 mm

Cylinder height: 2.250 mm

Total height of tank: 3.700 mm

Empty weight tank: 2.850

SKU: 568214

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Food; including loose base frame (see pictures); we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 7000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.250 mm

Invändig diameter: 1.920 mm

Total höjd: 3.700 mm

Omrörare

Kraft (kW): 11

Varvtal: 11

Mer

Isolerad: Ja

Vikt: 2.850