

## 7085 liter tank i Rostfritt 304



**63 000 SEK /st exkl moms**

**Additional information:** Paint industry; Vessel made of mild steel, internally clad with stainless steel 304 (1.4541); manhole diameter 520 mm; protective coating on the outside of the vessel; heavier build-up inside the vessel

**Volumetric volume (L):** 7.085 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** available  
**Agitator:** yes  
**Number of revolutions:** 160  
**Power:** 7,50  
**Internal diameter tank:** 2.000 mm

**Cylinder height:** 1.970 mm  
**Total height of tank:** 5.050 mm

**SKU:** 280573

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Paint industry; Tanks made of mild steel, plated on the inside with Aisi 304 (1.4541); Manhole diameter 520 mm; protective coating on the outside of the tanks; stronger adhesions inside the tank; we

Övrig information2: can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 7085

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.970 mm

Invändig diameter: 2.000 mm

Total höjd: 5.050 mm

## Omrörare

Kraft (kW): 7,50

Varvtal: 160

**Mer**

Isolerad: Nej

---