

## 710 liter tank i Syrafast 316



**70 000 SEK /st exkl moms**

**Additional information:** Herbal pharmacy; Attention: Outlet fitting extends beyond the foot ends (former foot extensions are no longer present); 2 dents in the insulating jacket; 1 dip tube inside

**Volumetric volume (L):** 710 L

**Pressure in tank:** ATM - atmospheric

**Max. pressure (Bar):** 3 Bar

**Max. temperature (°C):** 130 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 25

**Top:** 5 mm

**Cylinder:** 4 mm

**Bottom:** 4 mm

**Internal diameter tank:** 850 mm

**Outer diameter tank:** 950 mm

**Cylinder height:** 1.028 mm

**Total height of tank:** 1.900 mm

**SKU:** 312490

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Max. arbetstemperatur: 130 °C

Mobil tank: Nej

Övrig information: Herbal pharmacy; Attention: outlet fitting extends beyond foot ends (former foot extensions are no longer available); 2 dents in the insulation jacket; 1 dip tube inside

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 710

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.028 mm

Invändig diameter: 850 mm

Total höjd: 1.900 mm

Ytterdiameter: 950 mm

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 4 mm

Topp: 5 mm

**Mer**

Isolerad: Ja