
712 liter tank i Syrafast 316



106 000 SEK /st exkl moms

Volumetric volume (L): 712 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 25 Bar
Min. pressure (Bar): 1 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. temperature (°C): 50 °C

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

SKU: 564484

Mer information

Beskrivning av produkt

Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: pharmacy
Omrörare: Nej
Övertryck: 25 Bar
Total urtappning: Nej
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Volym i liter: 712

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Mer

Isolerad: Nej

Rodervägen 57
891 78 Bonässund
info@processoverskott.se