

72 liter tank i Syrafast 316



94 000 SEK /st exkl moms

Additional information: Pharmacy; Tank lid made of 1.4404 (stainless steel 316); 1 longitudinal sight glass in the cylinder; slight metallic discoloration on the inside

Volumetric volume (L): 72 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2,50 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 4 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 150 °C

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 30

Agitator: yes

Number of revolutions: 263

Power: 1,50

Internal diameter tank: 340 mm

Outer diameter tank: 370 mm

Cylinder height: 720 mm

Total height of tank: 1.600 mm

SKU: 568340

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmacy; Tank lid made of 1.4404 (stainless steel 316); 1 longitudinal sight glass in the cylinder; slight metallic discoloration on the inside; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 2,50 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 72

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 720 mm
Invändig diameter: 340 mm
Total höjd: 1.600 mm
Ytterdiameter: 370 mm

Omrörare

Kraft (kW): 1,50
Varvtal: 263

Mer

Isolerad: Nej