

## 72 liter tank i Syrafast 316



**94,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Tank lid made of 1.4404 (stainless steel 316); 1 longitudinal sight glass in the cylinder; slight metallic discoloration on the inside

**Volumetric volume (L):** 72 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 2,50 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 4 L

**Max Overpressure:** 6 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 150 °C

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 30

**Agitator:** yes

**Number of revolutions:** 263

**Power:** 1,50

**Internal diameter tank:** 340 mm

**Outer diameter tank:** 370 mm

**Cylinder height:** 720 mm

**Total height of tank:** 1.600 mm

**SKU:** 568340

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmacy; Tank lid made of 1.4404 (stainless steel 316); 1 longitudinal sight glass in the cylinder; slight metallic discoloration on the inside; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 2,50 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 72

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

## **Dimensioner av tank**

Cylinderhöjd: 720 mm  
Invändig diameter: 340 mm  
Total höjd: 1.600 mm  
Ytterdiameter: 370 mm

## **Omrörare**

Kraft (kW): 1,50  
Varvtal: 263

## **Mer**

Isolerad: Nej