

721 liter tank i Syrafast 316



113,000,00 kr /st exkl moms

Additional information: pharmacy

Volumetric volume (L): 721 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 133 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 56 L

Max Overpressure: 1 Bar

Max onderdruk: 1 Bar

Max. working temperature: 133 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 100 - 500

Power: 1,10

Internal diameter tank: 950 mm

Outer diameter tank: 1.100 mm

Cylinder height: 750 mm

Total height of tank: 2.520 mm

SKU: 285761

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 133 °C

Mobil tank: Nej

Övrig information: pharmacy; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 721

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 750 mm
Invändig diameter: 950 mm
Total höjd: 2.520 mm
Ytterdiameter: 1.100 mm

Omrörare

Kraft (kW): 1,10
Varvtal: 100 - 500

Mer

Värmeväxlare: RVS 304
Isolerad: Ja