

## 740 liter tank i Syrafast 316



**40,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; Suspended design, bolted to 4 lateral, welded stainless steel plates in the system (see photos)

**Volumetric volume (L):** 740 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 0,50 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 0,50 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN25

**Internal diameter tank:** 790 mm

**Cylinder height:** 1.250 mm

**Total height of tank:** 1.900 mm

**SKU:** 284410

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; Suspended design, bolted to 4 lateral, welded stainless steel plates in the system (see photos)

Omrörare: Nej

Övertryck: 0,50 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 740

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.250 mm

Invändig diameter: 790 mm

Total höjd: 1.900 mm

**Mer**

Isolerad: Nej

---