

740 liter tank i Syrafast 316



44 000 SEK /st exkl moms

Additional information: Chemistry; 2 claws made of stainless steel; manhole 350 x 450 mm; outlet block flange DN 80 (with flanged taper pipe DN 50); some residues of previous content

Volumetric volume (L): 740 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 9 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Top: 8 mm

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 900 mm

Cylinder height: 880 mm

Total height of tank: 1.850 mm

Empty weight tank: 600

SKU: 272815

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Chemistry; 2 claws made of stainless steel; manhole 350 x 450 mm; outlet block flange DN 80 (with flanged taper pipe DN 50); some residues of previous content

Omrörare: Nej

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 740

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 880 mm
Invändig diameter: 900 mm
Total höjd: 1.850 mm

Tjocklek på tank

Botten: 5 mm
Cylinder: 5 mm
Topp: 8 mm

Mer

Isolerad: Nej
Vikt: 600