

## 750 liter tank i Rostfritt 304



**53,000,00 kr /st exkl moms**

**Additional information:** Food industry; Inner tank in "funnel shape"; manhole diameter approx. 410 mm; tank screwed onto 3 load cells each in a 4-legged frame

**Volumetric volume (L):** 750 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,05 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 30 L

**Max Overpressure:** 1,50 Bar

**Max. working temperature:** 95 °C

**Type HE on the bottom:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN65 DIN 11851

**Outer diameter tank:** 1.380 mm

**Total height of tank:** 2.050 mm

**Total outer width:** 1.560 mm

**Total outer length:** 1.450 mm

**Empty weight tank:** 1.000

**SKU:** 303015

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Food industry; Inner tank in "funnel shape"; manhole diameter approx. 410 mm; tank screwed onto 3 load cells each in a 4-legged frame; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 0,05 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 750

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Total höjd: 2.050 mm

Ytterdiameter: 1.380 mm

**Mer**

Isolerad: Ja

Vikt: 1.000

---