

750 liter tank i Rostfritt 304



48 000 SEK /st exkl moms

Additional information: Food industry; Inner vessel in "funnel shape"; manhole diameter approx. 410 mm; vessel screwed onto 3 load cells each in a 4-legged frame

Volumetric volume (L): 750 L

Pressure in tank: ATM - atmospheric

Max. pressure (Bar): 0,05 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 30 L

Max Overpressure: 1,50 Bar

Max. working temperature: 95 °C

Type HE on the bottom: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN65 DIN 11851

Outer diameter tank: 1.380 mm

Total height of tank: 2.050 mm

Total outer width: 1.560 mm

Total outer length: 1.450 mm

Empty weight tank: 1.000

SKU: 303015

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Food industry; Inner tank in "funnel shape"; manhole diameter approx. 410 mm; tank screwed onto 3 load cells each in a 4-legged frame; we can't give any guarantees about the heating/cooling jacket

Övrig information2: jacket

Omrörare: Nej

Övertryck: 0,05 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 750

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 2.050 mm

Ytterdiameter: 1.380 mm

Mer

Isolerad: Ja

Vikt: 1.000
