

## 750 liter tank i Syrafast 316



**41,000,00 kr /st exkl moms**

**Additional information:** pharmacy; upper bottom made of Aisi 304 (1.4541); metallic discolourations inside; manhole in the upper bottom diameter 350 mm; some residues of previous content; dents at the insulation jacket

**Volumetric volume (L):** 750 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2,50 Bar

**Max. temperature (°C):** 135 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 80 L

**Max Overpressure:** 2,50 Bar

**Max. working temperature:** 135 °C

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 790 mm

**Outer diameter tank:** 900 mm

**Cylinder height:** 1.230 mm

**Total height of tank:** 2.150 mm

**SKU:** 266815

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 135 °C

Mobil tank: Nej

Övrig information: pharmacy; upper bottom made of Aisi 304 (1.4541); metallic discolourations inside; manhole in the upper bottom diameter 350 mm; some residues of previous content;dents at the insulation jacket; we

Övrig information2: can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 2,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 750

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

## **Dimensioner av tank**

Cylinderhöjd: 1.230 mm  
Invändig diameter: 790 mm  
Total höjd: 2.150 mm  
Ytterdiameter: 900 mm

## **Mer**

Värmeväxlare: RVS 304  
Isolerad: Ja