7500 liter tank i Rostfritt 304



57 000 SEK /st exkl moms

Additional information: colour industry; some residues of previous content
Volumetric volume (L): 7.500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 102
Power: 2,20
Cylinder: 2 mm

Bottom: 2 mm
Internal diameter tank: 1.800 mm
Cylinder height: 3.000 mm
Total height of tank: 4.650 mm

SKU: 391928

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: colour industry; some residues of previous content; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 7500

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm
Invändig diameter: 1.800 mm
Total höjd: 4.650 mm

Omrörare

Kraft (kW): 2,20
Varvtal: 102

Tjocklek på tank
Botten: 2 mm
Cylinder: 2 mm

Mer
Isolerad: Nej