7500 liter tank i Rostfritt 304



71 000 SEK /st exkl moms

Article type: second-hand mixing tank
Additional information: The legs of the tank have been cut off and are supplied separately, please look carefully at the photos.; we can't give any guarantees about the agitator
Volumetric volume (L): 7.500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mobile tank: no

Top type: flat
Shape of tank: cylindrical
Bottom type: dished
Total discharge: yes
Fixation points: 4 non adjustable feet

Fixation point(s): RVS 304
Wet parts agitator(s): SS AISI 304 (V2A)
Suitable for food industry: no
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Tank outlet: inside Ø 250 mm
Agitator: yes

Distance from outlet to ground: 1.450 mm
Outer diameter tank: 2.200 mm
Cylinder height: 2.050 mm
Total height of tank: 6.000 mm

SKU: 428180

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: The legs of the tank have been cut off and are supplied separately, please look carefully at the photos.; we can't give any guarantees about the agitator
Omrörare: Ja
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dished
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 7500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Tankutlopp: inside Ø 250 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304
Material vätskeberörd del på omrörare: SS AISI 304 (V2A)

Dimensioner av tank

Cylinderhöjd: 2.050 mm
Mått utlopp till marken: 1.450 mm
Total höjd: 6.000 mm
Ytterdiameter: 2.200 mm

Mer
Isolerad: Nej