

7500 liter tank i Rostfritt 304



85,000,00 kr /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 7.500 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304L (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Wall type: dished

Total discharge: no

Fixation points: 2 non adjustable feet

Manway(s): RVS 304L

Gasket manway(s): unknown

Fixation point(s): RVS 304L

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 395 mm

Tank outlet: inside Ø 50 mm

Agitator: no, optional

Top: 4 mm

Cylinder: 4 mm

Bottom: 4 mm

Distance from outlet to ground: 300 mm

Outer diameter tank: 1.400 mm

Cylinder height: 5.000 mm

Total height of tank: 2.120 mm

Total outer length: 5.500 mm

Empty weight tank: 900

SKU: 309995

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Nej
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 7500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304L



Dimensioner av tank

Cylinderhöjd: 5.000 mm
Mått utlopp till marken: 300 mm
Total höjd: 2.120 mm
Ytterdiameter: 1.400 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 4 mm
Topp: 4 mm

Mer

Isolerad: Nej
Vikt: 900