

## 7500 liter tank i Rostfritt 304



**216 000 SEK /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

**Volumetric volume (L):** 7.500 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no

**Top type:** conical  
**Shape of tank:** cylindrical  
**Bottom type:** conical  
**Total discharge:** yes  
**Fixation points:** 4 adjustable feet

**Type of HE on the cylinder:** heating/cooling jacket  
**Position HE:** the middle part of the cilinder  
**Outer jacket (ornamental wall):** RVS 304  
**Manway(s):** RVS 304  
**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304  
**Wet parts agitator(s):** SS AISI 304 (V2A)  
**Suitable for food industry:** yes  
**Documents included:** no  
**Technical drawing included:** no

**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** at the top  
**Hinged lid:** yes  
**Tank outlet:** inside Ø 76 mm

**Agitator:** yes  
**Agitator type:** tripod  
**Position engine:** at the top  
**Number of revolutions:** 700  
**Power:** 2,20

**Current:** 6/6.8

**Outer diameter tank:** 2.300 mm

**Total height of tank:** 3.700 mm

**SKU:** 288002

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 7500

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 76 mm  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304  
Material vätskeberörd del på omrörare: SS AISI 304 (V2A)  
Ytterbeklädnad: RVS 304

## Dimensioner av tank

Total höjd: 3.700 mm  
Ytterdiameter: 2.300 mm

## Värmeväxlare

Position värmeväxlare: the middle part of the cilinder  
Typ av värmeväxlare på cylinder: heating/cooling jacket

## Omrörare

Kraft (kW): 2,20  
Position motor: at the top  
Typ av omrörare: tripod  
Varvtal: 700

## Mer

Isolerad: Ja