

75000 liter tank i Syrafast 316



605,000,00 kr /st exkl moms

Additional information: Food; Cylinder wall thickness: 6,000 mm cylinder height 3 mm; 1,500 mm 2.5 mm; 1,500 mm 4 mm; Attention: second tank differs slightly in dimensions, year of construction and technical design. Reach out to us, if you are interested in two tanks, so that we can provide you with the necessary details.

Volumetric volume (L): 75.000 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: no
Volume: 350 L
Max. working temperature: 55 °C
Type HE on the bottom: half pipe welded onto the outside of the innertank
Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 80
Top: 3 mm
Bottom: 4 mm
Internal diameter tank: 3.200 mm
Outer diameter tank: 3.410 mm

Cylinder height: 9.000 mm
Total height of tank: 12.250 mm
Empty weight tank: 9.500

SKU: 295550

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Food; Cylinder wall thickness: 6,000 mm cylinder height 3 mm; 1,500 mm 2.5 mm; 1,500 mm 4 mm; Attention: second tank differs slightly in dimensions, year of construction and technical design. Reach

Övrig information2: out to us, if you are interested in two tanks, so that we can provide you with the necessary details.; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 75000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 9.000 mm
Invändig diameter: 3.200 mm
Total höjd: 12.250 mm
Ytterdiameter: 3.500 mm

Tjocklek på tank

Botten: 4 mm
Topp: 3 mm

Mer

Isolerad: Ja
Vikt: 9.500