

## 75000 liter tank i Syrafast 316



**591,000,00 kr /st exkl moms**

**Additional information:** Food; Cylinder wall thickness: 6,000 mm cylinder height 3 mm; 1,500 mm 2.5 mm; 1,500 mm 4 mm; Attention: second tank differs slightly in dimensions, year of construction and technical design. Reach out to us, if you are interested in two tanks, so that we can provide you with the necessary details.

**Volumetric volume (L):** 75.000 L  
**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 50 °C  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** no  
**Volume:** 350 L  
**Max. working temperature:** 55 °C  
**Type HE on the bottom:** half pipe welded onto the outside of the innertank  
**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** 80  
**Top:** 3 mm  
**Bottom:** 4 mm  
**Internal diameter tank:** 3.200 mm  
**Outer diameter tank:** 3.410 mm

**Cylinder height:** 9.000 mm  
**Total height of tank:** 12.250 mm  
**Empty weight tank:** 9.500

**SKU:** 295550

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Food; Cylinder wall thickness: 6,000 mm cylinder height 3 mm; 1,500 mm 2.5 mm; 1,500 mm 4 mm; Attention: second tank differs slightly in dimensions, year of construction and technical design. Reach

Övrig information2: out to us, if you are interested in two tanks, so that we can provide you with the necessary details.

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 75000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## Dimensioner av tank

Cylinderhöjd: 9.000 mm  
Invändig diameter: 3.200 mm  
Total höjd: 12.250 mm  
Ytterdiameter: 3.410 mm

## Tjocklek på tank

Botten: 4 mm  
Topp: 3 mm

## Mer

Isolerad: Nej  
Vikt: 9.500