

## 7600 liter tank i Rostfritt 304



**63 000 SEK /st exkl moms**

**Additional information:** bioethanol plant; Auslauf Durchmesser 80 mm; Mannlochdeckel aus Kunststoff; some residues of previous content

**Volumetric volume (L):** 7.600 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 113 L

**Max Overpressure:** 8 Bar

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** yes

**Position of manway:** in the bottom

**Outlet of tank:** available

**Cylinder:** 4 mm

**Bottom:** 5,60 mm

**Internal diameter tank:** 1.950 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 4.350 mm

**SKU:** 271243

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: bioethanol plant; Auslauf Durchmesser 80 mm; Mannlochdeckel aus

Kunststoff; some residues of previous content

Omrörare: Nej

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 7600

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.950 mm

Total höjd: 4.350 mm

**Tjocklek på tank**

Botten: 5,60 mm

Cylinder: 4 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej