

79 liter tank i Syrafast 316



23 000 SEK /st exkl moms

Additional information: Suspended design mounted on two stainless steel brackets; some residues of previous content

Volumetric volume (L): 79 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,20 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 7 L

Max Overpressure: 6 Bar

Max. working temperature: 90 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN25

Outer diameter tank: 525 mm

Total height of tank: 1.100 mm

SKU: 704515

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: vacuum

Konfiguration: insulated

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Suspended design mounted on two stainless steel brackets; some residues of previous content

Omrörare: Nej

Övertryck: 3,20 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 79

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 1.100 mm

Ytterdiameter: 525 mm



Mer

Isolerad: Ja