79 liter tank i Syrafast 316



23 000 SEK /st exkl moms

Additional information: Suspended design mounted on two stainless steel brackets; some residues of previous content
Volumetric volume (L): 79 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: insulated
Heat exchanger: no

Insulation: yes
Mobile tank: no
Total discharge: yes
Volume: 7 L
Max Overpressure: 6 Bar

Max. working temperature: 90 °C
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: flange DN25
Outer diameter tank: 525 mm
Total height of tank: 1.100 mm

SKU: 704515

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: vacuum
Konfiguration: insulated
Max. arbetstemperatur: 200 °C
Mobil tank: Nej
Övrig information: Suspended design mounted on two stainless steel brackets; some residues of previous content
Omrörare: Nej
Övertryck: 3,20 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 79

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 1.100 mm
Ytterdiameter: 525 mm

Mer
Isolerad: Ja