

## 80 liter tank i Syrafast 316



**87,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; 1 screwed fitting enlarges the actual outlet from DN 20 to DN 50 DIN 11851 (see photos)

**Volumetric volume (L):** 80 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 3 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 20 L

**Max Overpressure:** 2 Bar

**Max. working temperature:** 150 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** DN20 DIN 11851

**Agitator:** yes

**Number of revolutions:** 310 - 1865

**Power:** 1,35

**Internal diameter tank:** 490 mm

**Outer diameter tank:** 540 mm

**Total height of tank:** 1.800 mm

**SKU:** 482044

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmacy; 1 screwed fitting enlarges the actual outlet from DN 20 to DN 50  
DIN 11851 (see photos); we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 80

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 490 mm

Total höjd: 1.800 mm

Ytterdiameter: 540 mm

## Omrörare

Kraft (kW): 1,35

Varvtal: 310 - 1865

## Mer

Värmeväxlare: RVS 304

Isolerad: Nej