

## 80 liter tank i Syrafast 316



## 27,000 SEK /st exkl moms

**Additional information:** including trolley; the information on overall length, width and height refers to vessels including trolley (overall height without trolley 850 mm)

**Volumetric volume (L):** 80 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** non-existent

**Internal diameter tank:** 400 mm

**Total height of tank:** 1.230 mm

**Total outer width:** 560 mm

**Total outer length:** 1.230 mm

**SKU:** 565078

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Trolley not available for all tanks; 1 tank with a smaller dent; the details of total length, width and height refer to tank including trolley (total height without trolley 850 mm)

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 80

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Invändig diameter: 400 mm

Total höjd: 1.230 mm

**Mer**

Isolerad: Nej

---