

80 liter tank i Syrafast 316



27,000 SEK /st exkl moms

Additional information: including trolley; the information on overall length, width and height refers to vessels including trolley (overall height without trolley 850 mm)

Volumetric volume (L): 80 L

Pressure in tank: pressure

Max. pressure (Bar): 2 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: non-existent

Internal diameter tank: 400 mm

Total height of tank: 1.230 mm

Total outer width: 560 mm

Total outer length: 1.230 mm

SKU: 565078

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Trolley not available for all tanks; 1 tank with a smaller dent; the details of total length, width and height refer to tank including trolley (total height without trolley 850 mm)

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 80

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 400 mm

Total höjd: 1.230 mm

Mer

Isolerad: Nej

