800 liter tank i Rostfritt 304



16 000 SEK /st exkl moms

Additional information: Food industry; According to type plate, operating pressure 1 bar; however, type plate is only present on some of the containers; slight differences in the design of the containers (e.g. manhole cover; feet); some containers with (minor) dents; some residues of previous content; traces of usage
Volumetric volume (L): 800 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.000 mm
Total height of tank: 1.540 mm
Empty weight tank: 460

SKU: 400706

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Food industry; According to the nameplate operating pressure 1 bar; However, the nameplate is only present on some of the containers; slight differences in the design of the container (e.g. manhole
Övrig information2: cover; feet); Container with some (smaller) dents ; some residues of previous content;traces of usage
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 800

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.000 mm
Total höjd: 1.540 mm

Mer
Isolerad: Nej
Vikt: 460

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se